




# Complete Genome Sequences of Clinical *Pandoraea fibrosis* Isolates

 Miranda E. Pitt,<sup>a,b</sup> Son H. Nguyen,<sup>a</sup> Tânia P. S. Duarte,<sup>a</sup> Louise F. Roddam,<sup>c</sup> Mark A. T. Blaskovich,<sup>a</sup> Matthew A. Cooper,<sup>a</sup> Lachlan J. M. Coin<sup>a,b</sup>

<sup>a</sup>Institute for Molecular Bioscience, The University of Queensland, Brisbane, Queensland, Australia

<sup>b</sup>The Peter Doherty Institute for Infection and Immunity, The University of Melbourne, Melbourne, Victoria, Australia

<sup>c</sup>School of Medicine, University of Tasmania, Hobart, Tasmania, Australia

**ABSTRACT** *Pandoraea fibrosis* is a newly identified Gram-negative bacterial species that was isolated from the respiratory tract of an Australian cystic fibrosis patient. The complete assembled genome sequences of two consecutive isolates (second isolate collected 11 months after antibiotic treatment) from the same individual are presented here.

*Pandoraea* species have been isolated from cystic fibrosis (CF) airways, lung/blood from non-CF individuals, and environmental (e.g., soil and water) sources (1–6). Clinical isolates are predominantly multidrug resistant (MDR) and commonly cocolonize with *Pseudomonas aeruginosa* when recovered from CF sputum (4, 7). *Pandoraea* spp. can establish chronic airway infections and cause significant lung function deterioration, possibly due to eliciting a proinflammatory response (7–11). The detection of *Pandoraea* spp. remains difficult (misidentified as *Burkholderia cepacia* or a *Ralstonia* sp.); hence, the prevalence of *Pandoraea* sp.-associated infections may be underreported (1, 12, 13). To date, 11 *Pandoraea* species have been described, including the recently characterized species *Pandoraea fibrosis* (14).

Only three incomplete *P. fibrosis* genome sequences have been reported (NCBI), of which two were collected from a CF patient admitted to the Royal Hobart Hospital (Tasmania, Australia) (14, 15). These isolates include the designated strain 6399<sup>T</sup> and a subsequent isolate (7641) collected 11 months after antibiotic treatment. These MDR strains, initially detected as *Pandoraea apista* and then *Pandoraea pnomenusa*, recently underwent polyphasic taxonomic analysis and were identified as *P. fibrosis* (14–16). Given the overall dearth of complete clinical *Pandoraea* genomes, combined with our limited understanding of virulence and resistance mechanisms of *Pandoraea* spp., we sought to complete these two *P. fibrosis* genomes and identify genes associated with disease.

Strains 6399<sup>T</sup> and 7641 were previously recovered from CF sputa (14, 15) via growth on *Burkholderia cepacia*-selective medium and stored at –80°C in lysogeny broth (LB) supplemented with 20% (vol/vol) glycerol. Glycerol stocks were streaked onto LB agar for colony isolation and grown in LB. Subsequently, high-molecular-weight (HMW) DNA was purified from 6399<sup>T</sup> using the DNeasy blood and tissue kit (Qiagen) and a >8-kb size selection performed via the BluePippin instrument (Millennium Science), while 7641 was prepared using the MagAttract HMW kit (Qiagen). DNA extracts underwent Oxford Nanopore Technologies (ONT) MinION sequencing with the SQK-LSK108\_1D long reads (6399<sup>T</sup>) or the RAD003-v2 (7641) kit and were sequenced on R9.4 flowcells. Sequences were base called using Albacore 2.3.1, which yielded 33× (6399<sup>T</sup>) and 13× (7641) coverage, respectively.

Genomes were assembled using both Illumina MiSeq data (16) and ONT reads via

**Citation** Pitt ME, Nguyen SH, Duarte TPS, Roddam LF, Blaskovich MAT, Cooper MA, Coin LJM. 2020. Complete genome sequences of clinical *Pandoraea fibrosis* isolates. Microbiol Resour Announc 9:e00060-20. <https://doi.org/10.1128/MRA.00060-20>.

**Editor** David A. Baltrus, University of Arizona

**Copyright** © 2020 Pitt et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Miranda E. Pitt, [miranda.pitt@imb.uq.edu.au](mailto:miranda.pitt@imb.uq.edu.au), or Lachlan J. M. Coin, [l.coin@imb.uq.edu.au](mailto:l.coin@imb.uq.edu.au).

**Received** 20 January 2020

**Accepted** 6 March 2020

**Published** 26 March 2020

Unicycler v0.3.7 (17). Default parameters were used for all software unless otherwise noted. The completed genomes were 5,592,065 bp (6399<sup>T</sup>) and 5,592,064 bp (7641), with both exhibiting a G+C content of 62.8%. Similar to the prior Illumina-only assembly (16), genomes were annotated using the Rapid Annotations using Subsystem Technology tool kit (RASTtk) v2.0 with taxonomy identity 93220 (*P. pnomenusa*) (18). The RASTtk pipeline identified a total of 5,103 (6399<sup>T</sup>) and 5,104 (7641) protein-coding sequences (57 genes associated with virulence, disease, and defense and 42 genes linked to antibiotic resistance and toxic compounds), with both isolates containing 76 RNA genes (64 tRNA genes). Gene content was similar between the two isolates, although the iron acquisition gene *ybtA* was absent in 7641. A comparison to *P. pnomenusa* RB38 (19) revealed that 6399<sup>T</sup> has 280 genes unique to *P. fibrosis*. Conversely, the Prokaryotic Genome Annotation Pipeline identified 4,801 (6399<sup>T</sup>) and 4,799 (7641) protein-coding sequences and 81 RNA genes (65 tRNA genes) (20). ResFinder 3.2 identified the *bla*<sub>OXA-153</sub> gene (86.21% identity; beta-lactam resistance) in both strains (21). Compared with 6399<sup>T</sup>, 7641 harbored 3 indels, 3 missense mutations, and 1 large 1,451,403-bp inversion (BWA-MEM, GATK, and snpEff) (22–24). The completion of these genome sequences has provided insight into *P. fibrosis* virulence and antibiotic resistance mechanisms.

**Data availability.** This whole-genome sequencing project has been deposited in DDBJ/EMBL/GenBank under accession numbers CP047385 for strain 6399 (BioProject number PRJNA266749, BioSample number SAMN03174139, and SRA numbers SRX7812756 [Illumina reads] and SRX6578695 [ONT reads, fast5]) and CP047386 for strain 7641 (BioProject number PRJNA266765, BioSample number SAMN03174414, and SRA numbers SRX7812757 [Illumina reads] and SRX6578757 [ONT reads, fast5]). The assembly versions described in this paper are the second versions.

## ACKNOWLEDGMENTS

This research was supported by the Advance Queensland Innovation Partnerships (grant 2016000403) and the Institute for Molecular Bioscience Centre for Superbug Solutions (grant 610246) fund.

## REFERENCES

- Coenye T, Falsen E, Hoste B, Ohlén M, Goris J, Govan JR, Gillis M, Vandamme P. 2000. Description of *Pandora* gen. nov. with *Pandora apista* sp. nov., *Pandora pulmonicola* sp. nov., *Pandora pnomenusa* sp. nov., *Pandora sputorum* sp. nov. and *Pandora norimbergensis* comb. nov. *Int J Syst Evol Microbiol* 50:887–899. <https://doi.org/10.1099/00207713-50-2-887>.
- Daneshvar MI, Hollis DG, Steigerwalt AG, Whitney AM, Spangler L, Douglas MP, Jordan JG, MacGregor JP, Hill BC, Tenover FC, Brenner DJ, Weyant RS. 2001. Assignment of CDC weak oxidizer group 2 (WO-2) to the genus *Pandora* and characterization of three new *Pandora* genomospecies. *J Clin Microbiol* 39:1819–1826. <https://doi.org/10.1128/JCM.39.5.1819-1826.2001>.
- Stryjowski ME, LiPuma JJ, Messier RH, Jr., Reller LB, Alexander BD. 2003. Sepsis, multiple organ failure, and death due to *Pandora pnomenusa* infection after lung transplantation. *J Clin Microbiol* 41:2255–2257. <https://doi.org/10.1128/jcm.41.5.2255-2257.2003>.
- Green H, Jones AM. 2015. The microbiome and emerging pathogens in cystic fibrosis and non-cystic fibrosis bronchiectasis. *Semin Respir Crit Care Med* 36:225–235. <https://doi.org/10.1055/s-0035-1546752>.
- Xiao X, Tian H, Cheng X, Li G, Zhou J, Peng Z, Li Y. 2019. *Pandora sputorum* bacteremia in a patient who had undergone allogeneic liver transplantation plus immunosuppressive therapy: a case report. *Infect Drug Resist* 12:3359–3364. <https://doi.org/10.2147/IDR.S227643>.
- Lin C, Luo N, Xu Q, Zhang J, Cai M, Zheng G, Yang P. 2019. Pneumonia due to *Pandora apista* after evacuation of traumatic intracranial hematomas: a case report and literature review. *BMC Infect Dis* 19:869. <https://doi.org/10.1186/s12879-019-4420-6>.
- Jørgensen IM, Johansen HK, Frederiksen B, Pressler T, Hansen A, Vandamme P, Høiby N, Koch C. 2003. Epidemic spread of *Pandora apista*, a new pathogen causing severe lung disease in cystic fibrosis patients. *Pediatr Pulmonol* 36:439–446. <https://doi.org/10.1002/ppul.10383>.
- Johnson LN, Han JY, Moskowitz SM, Burns JL, Qin X, Englund JA. 2004. *Pandora* bacteremia in a cystic fibrosis patient with associated systemic illness. *Pediatr Infect Dis J* 23:881–882. <https://doi.org/10.1097/01.inf.0000136857.74561.3c>.
- Atkinson RM, Lipuma JJ, Rosenbluth DB, Dunne WM, Jr. 2006. Chronic colonization with *Pandora apista* in cystic fibrosis patients determined by repetitive-element-sequence PCR. *J Clin Microbiol* 44:833–836. <https://doi.org/10.1128/JCM.44.3.833-836.2006>.
- Caraher E, Collins J, Herbert G, Murphy PG, Gallagher CG, Crowe MJ, Callaghan M, McClean S. 2008. Evaluation of *in vitro* virulence characteristics of the genus *Pandora* in lung epithelial cells. *J Med Microbiol* 57:15–20. <https://doi.org/10.1099/jmm.0.47544-0>.
- Martínez-Lamas L, Rabade Castedo C, Martín Romero Domínguez M, Barbeito Castiñeiras G, Palacios Bartolomé A, Pérez Del Molino Bernal ML. 2011. *Pandora sputorum* colonization in a patient with cystic fibrosis. *Arch Bronconeumol* 47:571–574. <https://doi.org/10.1016/j.arbr.2011.06.014>.
- Coenye T, Liu L, Vandamme P, LiPuma JJ. 2001. Identification of *Pandora* species by 16S ribosomal DNA-based PCR assays. *J Clin Microbiol* 39:4452–4455. <https://doi.org/10.1128/JCM.39.12.4452-4455.2001>.
- Pimentel JD, MacLeod C. 2008. Misidentification of *Pandora sputorum* isolated from sputum of a patient with cystic fibrosis and review of *Pandora* species infections in transplant patients. *J Clin Microbiol* 46:3165–3168. <https://doi.org/10.1128/JCM.00855-08>.
- See-Too WS, Ambrose M, Malley R, Ee R, Mulcahy E, Manche E, Lazenby J, McEwan B, Pagnon J, Chen JW, Chan KG, Turnbull L, Whitchurch CB, Roddam LF. 2019. *Pandora fibrosis* sp. nov., a novel *Pandora* species isolated from clinical respiratory samples. *Int J Syst Evol Microbiol* 69:645–651. <https://doi.org/10.1099/ijsem.0.003147>.
- Ambrose M, Malley RC, Warren SJ, Beggs SA, Swallow OF, McEwan B,

- Stock D, Roddam LF. 2016. *Pandoraea pnomenusa* isolated from an Australian patient with cystic fibrosis. *Front Microbiol* 11:692. <https://doi.org/10.3389/fmicb.2016.00692>.
16. Ee R, Ambrose M, Lazenby J, Williams P, Chan KG, Roddam L. 2015. Genome sequences of two *Pandoraea pnomenusa* isolates recovered 11 months apart from a cystic fibrosis patient. *Genome Announc* 3:e01389-14. <https://doi.org/10.1128/genomeA.01389-14>.
17. Wick RR, Judd LM, Gorrie CL, Holt KE. 2017. Unicycler: resolving bacterial genome assemblies from short and long sequencing reads. *PLoS Comput Biol* 13:e1005595. <https://doi.org/10.1371/journal.pcbi.1005595>.
18. Aziz RK, Bartels D, Best AA, DeJongh M, Disz T, Edwards RA, Formsma K, Gerdes S, Glass EM, Kubal M, Meyer F, Olsen GJ, Olson R, Osterman AL, Overbeek RA, McNeil LK, Paarmann D, Paczian T, Parrello B, Pusch GD, Reich C, Stevens R, Vassieva O, Vonstein V, Wilke A, Zagnitko O. 2008. The RAST server: Rapid Annotations using Subsystems Technology. *BMC Genomics* 9:75. <https://doi.org/10.1186/1471-2164-9-75>.
19. Lim YL, Ee R, How KY, Lee SK, Yong D, Tee KK, Yin WF, Chan KG. 2015. Complete genome sequencing of *Pandoraea pnomenusa* RB38 and molecular characterization of Its N-acyl homoserine lactone synthase gene *pplI*. *PeerJ* 3:e1225. <https://doi.org/10.7717/peerj.1225>.
20. Tatusova T, DiCuccio M, Badretdin A, Chetvernin V, Nawrocki EP, Zaslavsky L, Lomsadze A, Pruitt KD, Borodovsky M, Ostell J. 2016. NCBI Prokaryotic Genome Annotation Pipeline. *Nucleic Acids Res* 44: 6614–6624. <https://doi.org/10.1093/nar/gkw569>.
21. Zankari E, Hasman H, Cosentino S, Vestergaard M, Rasmussen S, Lund O, Aarestrup FM, Larsen MV. 2012. Identification of acquired antimicrobial resistance genes. *J Antimicrob Chemother* 67:2640–2644. <https://doi.org/10.1093/jac/dks261>.
22. Li H. 2013. Aligning sequence reads, clone sequences and assembly contigs with BWA-MEM. *arXiv* 1303.3997 [q-bio.GN]. <https://arxiv.org/abs/1303.3997>.
23. McKenna A, Hanna M, Banks E, Sivachenko A, Cibulskis K, Kernytsky A, Garimella K, Altshuler D, Gabriel S, Daly M, DePristo MA. 2010. The Genome Analysis Toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data. *Genome Res* 20:1297–1303. <https://doi.org/10.1101/gr.107524.110>.
24. Cingolani P, Platts A, Wang I. L., Coon M, Nguyen T, Wang L, Land SJ, Lu X, Ruden DM. 2012. A program for annotating and predicting the effects of single nucleotide polymorphisms, SnpEff: SNPs in the genome of *Drosophila melanogaster* strain w1118; iso-2; iso-3. *Fly (Austin)* 6:80–92. <https://doi.org/10.4161/fly.19695>.